


CXCR6 Polyclonal Antibody


Catalog No.	E-AB-11112	Reactivity	H,M
Storage	Store at -20°C. Avoid freeze / thaw cycles.	Host	Rabbit
Applications	WB,IHC,ELISA	Isotype	IgG

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Images



Western Blot analysis of Human fetal brain and Mouse brain tissue using CXCR6 Polyclonal Antibody at dilution of 1:350



Immunohistochemistry of paraffin-embedded Human gastric cancer using CXCR6 Polyclonal Antibody at dilution of 1:30



Immunohistochemistry of paraffin-embedded Human thyroid cancer using CXCR6 Polyclonal Antibody at dilution of 1:30

Immunogen Information

Immunogen	Recombinant protein of human CXCR6
Gene Accession	BC033584
Swissprot	O00574
Synonyms	BONZO,CD186,STRL33,TYMSTR

Product Information

Calculated MW	39kDa
Buffer	PBS with 0.05% sodium azide and 50% glycerol, PH7.4
Purify	Affinity purification
Dilution	WB 1:500-1:2000, IHC 1:50-1:200

Background

Bonzo (also designated STRL33.3) and BOB (brother of Bonzo; also designated GRP15) are seven-transmembrane, G protein-coupled receptors that are closely related to chemokine receptor family members. In conjunction with CD4, several chemokine receptors are known to serve as receptors for HIV-1 entry into cells. Bonzo and BOB are utilized by simian immunodeficiency virus (SIV), HIV-2 and M-tropic HIV-1 for cell entry. Bonzo and BOB are both expressed in lymphoid tissues, and BOB is also expressed in colon.

For Research Use Only

Thank you for your recent purchase.
 If you would like to learn more about antibodies, please visit www.elabscience.com.

**Focus on your research
 Service for life science**

Applications:WB-Western Blot IHC-Immunohistochemistry IF-Immunofluorescence IP-Immunoprecipitation FC-Flow cytometry ChIP-Chromatin Immunoprecipitation Reactivity: H-Human R-Rat M-Mouse Mk-Monkey Dg-Dog Ch-Chicken Hm-Hamster Rb-Rabbit Sh-Sheep Pg-Pig Z-Zebrafish X-Xenopus C-Cow.