BUB1B Polyclonal Antibody

Catalog Number: E-AB-30683



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human, Mouse

Immunogen Synthesized peptide derived from the Internal region of human BubR1

Host Rabbit
Isotype IgG


Purification Affinity purification

Formulation PBS with 0.02% sodium azide, 0.5% protective protein and 50% glycerol pH 7.4.

Applications Recommended Dilution

WB 1:500-1:2000 ELISA 1:20000

Data



Western Blot analysis of Hela cells with BUB1B

Polyclonal Antibody Observed Mw:130kDa Calculated Mw:120kDa

Preparation & Storage

Storage Store at -20°C. Avoid freeze / thaw cycles.

Background

The Mitotic Checkpoint Complex (MCC), which contains Bub1, Bub1b, Bub3, Mad2, and Cdc20, controls chromosome segregation and monitors kinetochore-microtubule interactions (1). During mitosis, the MCC complex inhibits the ubiquitin ligase activity of the Anaphase Promoting Complex/Cyclosome (APC/C), thereby preventing cells with unaligned chromosomes from prematurely entering anaphase (2). Research studies have shown that Bub1b and Bub1 kinases are mutated in several types of human malignancies including hematopoietic, colorectal, lung, and breast cancers (3). Biallelic mutations in Bub1b have been found in mosaic variegated aneuploidy syndrome and premature chromatid separation syndrome (4). Bub1b mouse germline knockouts are embryonic lethal with heterozygous animals displaying genetic instability, early aging phenotypes, and increased cancer susceptibility (5). Bub3 binds both Bub1 and Bub1b, facilitating their recruitment to kinetochores (6), and is required for functional microtubule-kinetochore interactions (7).

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com