A Reliable Research Partner in Life Science and Medicine

Recombinant Mouse Nectin-4 (C-Fc)

Catalog No. PKSM041375

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Synonyms PVRL4; Nectin-4; Ig superfamily receptor LNIR; Poliovirus receptor-related protein

4:PRR4:LNIR

Species Mouse

Expression Host HEK293 Cells
Sequence Gly31-Ser349
Accession Q8R007
Calculated Molecular Weight 61.4 kDa
Observed molecular weight 75-85 kDa
Tag C-Fc

Properties

Purity > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per μg of the protein as determined by the LAL method.

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

Shipping This product is provided as lyophilized powder which is shipped with ice packs.

Formulation Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, pH 7.4.


Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

Reconstitution Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Nectin-4 (PVRL4) is a type I transmembrane glycoprotein which belong stothen ectin family of Igsuperfamily proteins. It contains two olg-like C2-type domains and one Ig-like V-type domain. PVRL4 seems to be involved in cellad he sion through trans-homophilic and the containing the containing transfer of the containing the containing transfer of the containing transfer

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com

Email: techsupport@elabscience.com

Elabscience®

Elabscience Bionovation Inc.

A Reliable Research Partner in Life Science and Medicine

-heterophilicinteractions, the latter including specifically interactions with nectin-1. It does not act as receptor for alpha-her pesvirus entryintocells. Itispredominantly expressed in placenta, the embryo and breast carcinoma. But it is not detected in normal breast epith elium. The soluble form is produced by proteolytic cleavage at the cell surface (shedding), probably by ADAM17. Mutations in this generates the contraction of thenearethecauseofectodermaldysplasia-syndactylysyndrometype 1, an autosomal recessive disorder.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Email: techsupport@elabscience.com

Web: www.elabscience.com