

Recombinant Mouse ADAM9 Protein (His Tag)

Catalog Number:PKSM040887



Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

| | |
|-----------------------------|-------------------------------|
| Synonyms | AU020942;MDC9;mKIAA0021;Mltng |
| Species | Mouse |
| Expression Host | HEK293 Cells |
| Sequence | Met 1-Asp 697 |
| Accession | Q61072 |
| Calculated Molecular Weight | 74.9 kDa |
| Tag | C-His |

Properties

| | |
|----------------|---|
| Purity | > 87 % as determined by reducing SDS-PAGE. |
| Endotoxin | < 1.0 EU per µg of the protein as determined by the LAL method. |
| Storage | Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months. |
| Shipping | This product is provided as lyophilized powder which is shipped with ice packs. |
| Formulation | Lyophilized from sterile PBS, pH 7.4 Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual. |
| Reconstitution | Please refer to the printed manual for detailed information. |

Data



> 87 % as determined by reducing SDS-PAGE.

Background

ADAM9 (A disintegrin and metallopeptidase domain 9, MDC9, meltrin gamma), is a type 1 transmembrane protein that has been associated with cancer development and metastases. ADAM9 is consistently overexpressed in various human cancers, and plays a role in tumorigenesis in mouse models. ADAM9 cleaves and releases a number of molecules with important roles in tumorigenesis and angiogenesis, such as EGF, FGFR2iiib, Tie-2, Flk-1, EphB4, CD40, VCAM-1, and VE-cadherin, and could represent a potential therapeutic target in tumors where it is highly expressed. ADAM9 belongs to a family of transmembrane, disintegrin-containing metalloproteinases involved in protein ectodomain shedding and cell-cell and cell-matrix interactions. ADAM-9 adhesive domain plays a role in regulating the motility of cells by interaction with beta1 integrins and modulates MMP synthesis.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: www.elabscience.com

Tel: 1-832-243-6086

Email: techsupport@elabscience.com

Fax: 1-832-243-6017