A Reliable Research Partner in Life Science and Medicine

# Recombinant Human Merlin/NF2 protein (His Tag)

Catalog No. PKSH500004

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### **Description**

Synonyms CAN, BANF, Bilateral acoustic neuroma, MERL HUMAN, Merlin, Moesin ezrin

radixin like protein, Moesin ezrin radizin like, Moesin-ezrin-radixin-like,

Neurofibromatosis 2, Neurofibromatosis type 2, Neurofibromatosis 2, NF 2, SCH,

Schwannomerlin

SpeciesHumanExpression HostE.coli

SequenceMet1-Leu595AccessionP35240-1Calculated Molecular Weight69.7 kDaObserved molecular weight68-71 kDaTagN-His

**Bioactivity** Immunogen(E-AB-40336)

### **Properties**

**Purity** > 90 % as determined by reducing SDS-PAGE.

**Endotoxin** Please contact us for more information.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from sterile PBS, pH 7.4., 5% trehalose, 5% mannitol, 0.01% tween-80.


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the print

**Reconstitution** Please refer to the printed manual for detailed information.

#### Data



> 90 % as determined by reducing SDS-PAGE.

# Background

#### For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: <u>www.elabscience.com</u> Email: <u>techsupport@elabscience.com</u>

## **Elabscience Bionovation Inc.**



A Reliable Research Partner in Life Science and Medicine

Probable regulator of the Hippo/SWH (Sav/Wts/Hpo) signaling pathway, a signaling pathway that plays a pivotal role in tumor suppression by restricting proliferation and promoting apoptosis. Along with WWC1 can synergistically induce the phosphorylation of LATS1 and LATS2 and can probably function in the regulation of the Hippo/SWH (Sav/Wts/Hpo) signaling pathway. May act as a membrane stabilizing protein. May inhibit PI3 kinase by binding to AGAP2 and impairing its stimulating activity. Suppresses cell proliferation and tumorigenesis by inhibiting the CUL4A-RBX1-DDB1-VprBP/DCAF1 E3 ubiquitin-protein ligase complex.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Email: techsupport@elabscience.com

Web: www.elabscience.com