

Recombinant Human FGL1 (C-Fc-Avi) Biotinylated

Catalog No. PKSH033855

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Synonyms	Fibrinogen-like protein 1;FGL1;HP-041;Hepassocin;HFREP-1;LFIRE-1
Species	Human
Expression Host	HEK293 Cells
Sequence	Leu23-Ile312
Accession	Q08830
Calculated Molecular Weight	62.7 kDa
Observed molecular weight	60 kDa
Tag	C-Fc-Avi

Properties

Purity	> 90 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 µm filtered solution of PBS, 5% Trehalose, pH 7.4. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.

Data



> 90 % as determined by reducing SDS-PAGE.

Background

Fibrinogen-like protein 1(FGL1) is also known as HP-041, Hepassocin, HFREP-1, LFIRE-1, is a liver-specific secreted protein belonging to the fibronogen superfamily, whose members share a fibrinogen domain at their C-termini. It is secreted by the liver and functions as a mitogen for hepatocytes. Hepassocin may play a role in the development of

For Research Use Only

hepatocellular carcinomas. Hepassocin is a disulfide-linked homodimeric protein with a C-terminal fibrinogen domain. It is reported that it is a major immune inhibitory ligand of LAG-3 .