

Recombinant Human Dickkopf-Related Protein 1/DKK-1 (C-Fc)

Catalog No. PKSH034024

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Synonyms	Dickkopf-related protein 1;Dickkopf-1;Dkk-1
Species	Human
Expression Host	HEK293 Cells
Sequence	Thr32-His266
Accession	O94907
Calculated Molecular Weight	52.7 kDa
Observed molecular weight	60-80 kDa
Tag	C-Fc

Properties

Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Dickkopf-related protein 1(DKK-1), is a member of the dickkopf family. DKK1 secreted proteins with two cysteine-rich domains separated by a linker region. It antagonizes canonical Wnt signaling by inhibiting LRP5/6 interaction with Wnt and by forming a ternary complex with the transmembrane protein KREMEN that promotes internalization of LRP5/6.

For Research Use Only

DKKs play an important role in vertebrate development, where they locally inhibit Wnt regulated processes such as antero-posterior axial patterning, limb development, somitogenesis and eye formation. In the adult, Dkks are implicated in bone formation and bone disease, cancer and Alzheimer disease.